

SINKER

DESIGN BY HAY



An elemental looking light available as either a small or large pendant. The fabric cord comes with a magnetic moulded ceiling cap in a textured finish. The ABS convex diffuser emits a warm, even illumination.

PRODUCT DETAILS

- / Part of a progressive and technologically advanced lighting collection.
- / A flexible, uncomplicated directional pendant lamp in both large and small sizes.
- / CE approved.
- / Supplied with a replaceable standard E27 LED dimmable bulb with an estimated life span of 25.000 hours of use.
- / The fitting can be used in conjunction with a number of standard wall mounted dimming control units.
- / Suitable for both private and office environments.
- / Qualified for contract use.
- / For indoor use only.

HAY

MATERIAL

LAMP SHADE & DIFFUSER / Injection moulded ABS.

CORD / Fabric cord.

CEILING CAP / Injection moulded ABS.

COLOUR & FINISH

Please note that the colour codes are indicative.

Available in 4 different colours.

- / Soft black (RAL 9004)
- / Dusty grey (RAL 7037)
- / Oxide red (NCS S 4050-Y90R)
- / Cream white (RAL 9010)



COMBINATIONS

COLOUR	SOFT BLACK	DUSTY GREY	OXIDE RED	CREAM WHITE
SIZE				
SINKER SMALL	•	•	•	•
SINKER LARGE		•	•	•

DIMENSIONS

SMALL



DIAMETER / 23 cm / 9"

HEIGHT / 19 cm / 7.5"

LARGE

DIAMETER / 37,5 cm / 14.8"

HEIGHT / 35 cm / 13.8"



TECHNICAL SPECIFICATIONS

SMALL

- / LIGHT SOURCE / LED E27 (A19)
- / POWER (WATTS) / 10,5W
- / DIMMABLE / Yes*
- / POWER SUPPLY / 220-240V AC at 50-60Hz
- / CORD LENGTH / 400 cm
- / SWITCH / No

*If used in conjunction with a wall mounted dimmer and suitable LED bulb. Bulb included.

TEST SPECIFICATIONS*

- / FLUX (LUMENS) / 810lm
- / CCT & CRI / The levels will vary depending on the type of bulb used in the lamp.

*Photometrics and the specification shown is taken using the recommended LED bulb fitted in the production luminaire.

CERTIFICATIONS


CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

PHOTOMETRICS



DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance instructions, CE attestation of conformity certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[Link to downloads.](#)

TECHNICAL SPECIFICATIONS

LARGE

- / LIGHT SOURCE / LED E27 (A19)
- / POWER (WATTS) / 13W
- / DIMMABLE / Yes*
- / POWER SUPPLY / 220-240V AC at 50-60Hz
- / CORD LENGTH / 400 cm
- / SWITCH / No

*If used in conjunction with a wall mounted dimmer and suitable LED bulb. Bulb included.

TEST SPECIFICATIONS*

- / FLUX (LUMENS) / 1055lm
- / CCT & CRI / The levels will vary depending on the type of bulb used in the lamp.

*Photometrics and the specification shown is taken using the recommended LED bulb fitted in the production luminaire.

CERTIFICATIONS


CE approved: This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN / IEC standards which relate specifically to electrical lighting products including:

- / EN 55015:2013 (radio disturbance)
- / EN 61547:2009 (EMC immunity)
- / EN 61000-3-2:2014 (EMC compatibility)
- / EN 61000-3-3:2013 (EMC compatibility)
- / EN 60598-2-4:1997 (portable luminaires)
- / EN 60598-1:2015 (general requirements)
- / EN 62493:2010 (human exposure to EMC)

PHOTOMETRICS



DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance instructions, CE attestation of conformity certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[Link to downloads.](#)

HAY